


ILLUSTRATED PARTS

AMERICAN  AMERICAN
M A D E O W N E D
OUTDOOR POWER EQUIPMENT



1995

Self-Propelled Mowers









Model Number	Pages
125-260B000 thru 125-262C000	2-4
125-280B000 and 125-281C000	5-7
125-448A000 thru 125-458B000	8-10
Engine Shrouds	11

This exploded view diagram illustrates the assembly of a lawnmower. The main components shown include the engine (38), deck (29), blade (31), and various structural and adjustment parts. The diagram is labeled with numerous callouts for individual parts, including:

- Engine and Drive Components:** 1, 2, 3, 4, 5, 6, 7, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99.
- Optional Grass Catcher (30):** An inset diagram in the bottom right corner shows the optional grass catcher assembly, which includes a collection bag (30) and its mounting hardware (31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99).

2B – Page 2

OPTIONAL ENGINE SHROUDS

							
Part No. 751B281439	Color Dark Red	Part No. 731-1395	Color Red	Part No. 731-1587	Color Black	Part No. 731-1561	Color Black
751B281440	Black	731-1396	Black	731-1603	Yellow	731-1612	Red
751B281443	Bright Red	731-1397	Gray	731-1610	Pewter		
Hardware: 710-1256 (Screw)		Hardware: 710-1256 (Screw)		Hardware: 710-1184 (Screw)		Hardware: 7510042823 (Screw)	
							
Part No. 731-1402	Color Yellow	Part No. 7510014308	Color Black	Part No. 731-1585	Color Black	Part No. 731-1586	Color Black
Hardware: 710-1256 (Screw)		Hardware: 7510042823 (Screw)		Hardware: 710-1274 (Screw)		Hardware: 7510042823 (Screw)	

Models 260 and 262


PARTS LIST FOR MODELS 260 AND 262 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle	54	746-0842		Throttle Control Wire—51"
2	710-0602		Oval C-Sunk Mach. Scr.	55	746-0550		Control Cable—51"
3	736-0501		Spr. Wash. .66" I.D.	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.
4	712-0324		Hex L-Nut 1/4-20 Thd.	58	738-0102		Rear Axle Bolt
5	720-0279		Handle Knob 1/4-20 Thd.	62	732-0417A		Spring Lever
6	646-0875		Throttle Body	63	720-0190		Spring Lever Knob
7	746-0876		Throttle Lever	64	736-0192		Fl-Wash. .531" I.D. x .93"
8	749-0824		Upper Handle	65	16532B		Link 5.3" Lg.
10	710-1205		Rope Guide	66	14765		Pivot Bar R.H.
12	720-0276		Hand Knob		14766		Pivot Bar L.H. (Not Shown)
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	67	710-0896		Hex L-Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
14	726-0240		Cable Tie	69	14764C		Index Plate
15	749-0928		Lower Handle	71	16106		Front Height Adj. Ass'y.—R.H.
16	714-0104		Hairpin Cotter		16107		Front Height Adj. Ass'y.—L.H. (Not Shown)
17	17098		Hinge Clip	72	811-00185		Throttle Box Comp. (Incl. Ref. 2, 3, 4, 6, 7)
18	731-1029		Rear Flap	74	710-0726		Hex Wash. AB-Tap Scr. 5/16 x .75" Lg.
19	682-3025		Handle Bracket Ass'y.—L.H.	75	16309A		Cable Brkt.
20	682-3024		Handle Bracket Ass'y.—R.H.	76	746-0626		Clutch Cable w/Spring—47"
21	736-0105		Bell-Wash. .39" I.D. x 1.38"	79	747-0854		S.P. Bail Ass'y.
22	712-0798		Hex Nut 3/8-16 Thd.*	81	713-0449	N	9 Tooth Sprocket Ass'y.
23	712-0241		Hex Nut 3/8-24 Thd.	82	715-0247		Spring Pin Spir. 3/16" Dia. x 1" Lg.
29	682-0221		22" Deck Ass'y.	83	713-0311		#48 Chain 1/2" Pitch 50 Links (Endless)
30	753-0484		Blade Adapter Kit	84	751-0345A		Exhaust Deflector
31	736-0452		Bell-Wash. .39" I.D.	85	710-0227		Hex AB-Tap Scr. #8 x .5" Lg.
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	87	736-0169		L-Wash. 3/8" I.D.*
33	742-0622		22" Blade	91	731-1034		Chute Deflector Ass'y.
	742-0722		22" Mulching Blade (Optional)††	92	732-0593		Torsion Spring
38	751B213146		Cable Clamp	93	17032		Adapter Plate
39	—		Engine	94	710-0599		Hex Self-Tap Scr. 1/4-20 x .5" Lg.
41	710-1237		Hex Wash. Hd. Scr. #10-32 x .62" Lg.	95	736-0270		Bell-Wash. 1/4" I.D.
44	735-0639		Spark Plug Boot (Optional)	96	747-0710		Hinge Pin
46	738-0144		Front Axle Bolt	97	710-1055		Hex Bolt 3/8-24 x 1" Lg.
47	736-0105		Bell-Wash. .400" I.D. x .88"	98	731-1386A		Mulching Plug (Optional)††
48	738-0507B		Shld. Bolt .50" Dia. x .357"	99	736-0356		Bell-Wash. .39" I.D. x 1.38" O.D.
49	14832		Spring Lever Ass'y. w/Knob				
50	15262B		Pivot Bar				
51	15261A		Height Adj. Plate				
52	734-1174A		Front Wheel Ass'y. Comp.				
53	14578		Height Adj. Ass'y. Comp.—R.H.				
	14579		Height Adj. Ass'y. Comp.—L.H. (Not Shown)				

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

††Part of Optional Mulching Kit—Model 190-100-000.


Models 448 thru 458



PARTS LIST FOR MODELS 448 THRU 458 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	746-0906		S.P. Cable 44.75" Lg.	22	716-0104		E-Ring
2	710-0599		Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.	23	782-7551		Wheel Dust Cap
3	710-0653		Hex Wash. Hd. Tap Scr. 1/4-20 x .38" Lg.	24	634-0021		Front Wheel Ass'y.
4	782-7550		Belt Cover	25	736-3013		Fl-Wash. .531" I.D. x 1" O.D.
5	715-0246		Spring Pin 3/16" Dia. x 1.25" Lg.	26	714-0104		Hairpin Clip 5/16" Dia.
6	756-0963		3/8" "V"-Pulley 2.75" O.D.	27	720-0249		Hub Cap
7	754-0271		"V"-Belt	28	656-0010		Idler Ass'y.
8	756-0964		3/8" "V"-Pulley 2.44" O.D.	29	738-0873		Shld. Bolt .374" Dia. x 1.94"
9	715-0159		Spring Pin 3/16" Dia. x .875" Lg.	30	782-7524		Idler Pivot Brkt.
10	738-0872		Front Axle	31	738-0826		Shld. Bolt .375" Dia. x .4"
11	731-1361		Axle Shroud	32	736-0344		Fl-Wash. .39" I.D. x 1" O.D.
12	682-0015		Front Bearing Ass'y.	33	682-0014		Idler Brkt. Ass'y.
13	736-0447		Wave-Wash. 1.01" I.D.	34	712-0271		Hex Sems Nut 1/4-20 Thd.
14	782-0512		Height Adj. Plate—R.H.	35	738-0572		Shld. Bolt 3/8" Dia. x 1.16"
	782-0511		Height Adj. Plate—L.H.	36	736-0270		Bell-Wash. .265" I.D. x .75" O.D.
15	732-0706		Spring Lever—R.H.	37	732-0709		Spring Extension 1.29" Lg.
	732-0707		Spring Lever—L.H.	38	712-0138		Hex Nut 1/4-28 Thd.
16	720-0190		Spring Lever Knob	39	750-0807		Spacer .385" I.D. x .625" O.D.
17	682-0509		Height Adj. Pivot Plate Ass'y.	40	756-0558		Fl-Idler 1.5" O.D.
18	736-0474		DD Washer 1.5" O.D.	41	741-0556		Needle Brg. .375" I.D.
19	716-0102		Snap Ring	42	710-0201		Hex Bolt 3/8-16 x .62" Lg.
21	748-0357		14-T Spur Gear	43	736-0331		Bell-Wash. .39" I.D. x 1.13" O.D.
				44	712-0798		Hex Nut 3/8-16 Thd.*
				45	777-0671		Foil Label

Models 260 and 262



PARTS LIST FOR MODELS 260 AND 262 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-1115	N	Hex Scr. 1/4-20 x .75" Lg. (Gr. 5)	18	638-0004	N	Drive Shaft Ass'y.
2	731-0908		Wheel Drive Pinion	19	736-0160		Fl-Wash. .531" I.D. x .93" O.D.
5	741-0503		Hex Flange Brg. .504" I.D.	20	710-0168		Hex Bolt 3/8-16 x .5" Lg.
6	17018		Hex Bearing Support	21	736-0169		L-Wash. 3/8" I.D.*
7	741-0504		Flange Bearing .879" I.D.	22	17616		Pivot Bracket—R.H.
8	736-0270		Bell-Wash. .265" I.D. x .75" O.D.	23	17185		Engagement Arm
9	16532B		Link 5.06" Lg.	24	710-0258		Hex Bolt 1/4-20 x .62" Lg.
10	16832A		Drive Engagement Cam	25	17725		Front Pinion Pivot Cover
11	712-0267		Hex Nut 5/16-18 Thd.*	27	738-0529		Shld. Nut .625" Dia. x .165"
12	736-0119		L-Wash. 5/16" I.D.*	28	17617		Pivot Bracket—L.H.
13	732-0569A		Torsion Spring—R.H.	29	710-0892		Hex Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
	732-0570A		Torsion Spring—L.H. (Not Shown)	30	17017		Hex Bearing Axle Brkt.
14	738-0754		Shoulder Bolt .437" Dia.	31	746-0606		Barrel Cable Hold-Down—R.H.
15	710-0892		Hex Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.	32	710-0919		Hex B-Tap Scr. #10 x .44" Lg.
16	736-0329		L-Wash. 1/4" I.D.*	33	731-1136		Chain Tensioner
17	712-0287		Hex Nut 1/4-20 Thd.*	34	732-0635		Cantilever Spring
				35	710-0429		Hex B-Tap Scr. #10 x .38" Lg.

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Models 448 thru 458

PARTS LIST FOR MODELS 448 THRU 458 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle Ass'y.	48	732-0417A		Spring Lever
2	710-1205		Rope Guide	50	14765		Pivot Bar
3	720-0279		Handle Knob 1/4-20 Thd.	51	782-5002		Front Baffle
4	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	52	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1" Lg.
6	720-0276		Hand Knob	53	782-5003		Rear Baffle
7	710-0605		Oval C-Sunk Mach. Scr.	54	710-1017		Torx Mach. AB-Tap Scr. 1/4 x .62" Lg.
8	736-0501		Spr. Wash. .66" I.D.	55	710-0892		Hex L-Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
9	712-0324		Hex L-Nut 1/4-20 Thd.	56	682-0514		Handle Brkt. Ass'y.—R.H.
10	746-0876		Throttle Lever	57	682-0513		Handle Brkt. Ass'y.—L.H.
11	749-0538C		Upper Handle	58	782-0020		21" R.D. Deck
12	720-0226		Foam Grip (Optional)	59	634-0020		Wheel Ass'y. Comp.
13	749-0928		Lower Handle	60	720-0249		Hub Cap 3-1/2" Dia. (Gray—Optional)
14	726-0240		Cable Tie		731-0981A		Hub Cap 5-1/2" Dia. (Gray—Optional)
15	764-0310		Rear Catcher Frame		731-0982A		Hub Cap 5-1/2" Dia. (Beige—Optional)
	746-0553		Control Cable—36" (448, 454, 456, 454, 458)	61	764-0433		Grass Bag††
	746-0737		Control Cable—51" (455)	62	731-1322		Hard Top Cover††
17	746-0847		Throttle Control Wire—42" (455)	63	710-0286		Pan Hd. Mach. Scr. 1/4-20 x .5" Lg.††
	746-0843		Throttle Control Wire—55" (448, 454, 456, 458)	64	712-0324		Hex Nylon L-Nut 1/4-20 Thd.††
18	764-0311		Front Catcher Frame	65	782-9011		Mounting Bracket††
19	764-0309		Grass Bag†	66	782-5007		Mulching Baffle Plug (Optional)
	764-0476		Grass Bag (w/Logo)†	67	782-5004		Mulching Baffle—R.R. (Optional)
20	714-0104		Int. Cotter Pin 5/16" Dia.	68	16309A		Cable Mtg. Brkt.
21	732-0678		Door Spring—R.H.	69	710-0726		Hex Wash. AB-Tap Scr. 5/16" x .75" Lg.
22	732-0677		Door Spring—L.H.	70	746-0906		S.P. Cable 44.75" Lg.
23	782-7000		Rear Discharge Door	71	747-0854		Drive Control Lever
24	7510007755		Cable Clamp (455)	72	720-0275		Knob
	751B213146		Cable Clamp (B&S)	73	710-0192		Truss Mach. Scr. #10-24 x .38" Lg.
25	646-0875		Throttle Body	74	710-1220		Pan Hd. Scr. #12 x 3/4" Lg.†††
26	811-00185		Throttle Box Comp. (Incl Ref. 7, 8, 9, 10, 25)	75	736-0270		Bell-Wash. 1/4" I.D.†††
27	—		Engine	76	725-0727		Charger†††
28	710-0871		Hex Sems Scr. #10-32 x .38" Lg. (455)	77	712-0287		Hex Nut 1/4-20 Thd.†††
	710-1237		Hex Wash. Hd. Scr. #10-32 x .62" Lg. (B&S)	78	736-0329		L-Wash. 1/4" I.D.*†††
29	735-0639		Spark Plug Boot (Optional)	79	782-9012		Lower Battery Tray†††
30	732-0700		Wire Rod	80	710-0501		Hex Cap Bolt 1/4-20 x 2" Lg.†††
31	731-1236		Rear Flap	81	710-0111		Curved Hd. Bolt 1/4-20 x 1.25" Lg.†††
32	753-0484		Blade Adapter Kit	82	725-1276		Battery Pack†††
33	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	83	731-0891A		Upper Battery Tray†††
34	736-0452		Bell-Wash. .39" I.D.	84	725-0893		Key Switch†††
35	710-1055		Hex Bolt 3/8-24 x 1" Lg.	85	725-0201		Key†††
36	742-0621		21" Blade	86	725-1428		Fuse Holder†††
	742-0721		21" Mulching Blade (Optional)	87	725-1206		Plug†††
37	736-0169		L-Wash. 3/8" I.D.*	88	725-1442		Harness
38	712-0241		Hex Nut 3/8-24 Thd.	89	725-0298		Fuse 7-1/2 Amp.
39	736-0356		Bell-Wash. .39" I.D. x 1.38"				
40	712-0798		Hex Nut 3/8-16 Thd.*				
44	738-0507B		Shld. Bolt .5" Dia. x .357"				
45	736-0105		Bell-Wash. .38" I.D. x .88" O.D.				
46	738-0102		Axle Bolt				
47	720-0190		Spring Lever Knob				


† Models 442 thru 448 only.

†† Models 452 thru 458 only.

††† Electric start models only.

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Models 280 and 281




PARTS LIST FOR MODELS 280 AND 281 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-1115		Hex Scr. 1/4-20 x .75" Lg. (Gr. 5)	20	710-0168		Hex Bolt 3/8-16 x .5" Lg.*
2	731-0908		Wheel Drive Pinion	21	736-0169		L-Wash. 3/8" I.D.
5	741-0503		Hex Flange Brg. .504" I.D.	22	17614		Pivot Bracket—R.H. (B&S)
6	17018		Hex Bearing Support		17616		Pivot Bracket—R.H. (Tec.)
7	741-0504		Flange Bearing .879" I.D.	23	16756		Engagement Arm—L.H.
8	736-0270		Bell-Wash. .265" I.D. x .75" O.D.	24	710-0258		Hex Bolt 1/4-20 x .62" Lg.
9	14760A		Link 4.58" Lg.	25	17726		Rear Pinion Pivot Cover
10	16832A	N	Drive Engagement Cam	28	17613		Pivot Bracket—L.H. (B&S)
11	712-0267		Hex Nut 5/16-18 Thd.*		17617		Pivot Bracket—L.H. (Tec.)
12	736-0119		L-Wash. 5/16" I.D.*	29	710-0892		Hex Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
13	732-0569A		Torsion Spring—R.H.	30	17017		Hex Bearing Axle Brkt.
	732-0570A		Torsion Spring—L.H. (Not Shown)	31	746-0606		Barrel Cable Hold-Down—R.H.
14	738-0754		Shoulder Bolt .437" Dia.	32	710-0919		Hex B-Tap Scr. #10 x .44" Lg.
15	710-0892		Hex L-Hd. AB-Tap Scr. 1/4" x .62" Lg.	33	738-0529		Shld. Nut .625" Dia. x .165" Lg.
16	736-0329		L-Wash. 1/4" I.D.*	34	710-0351		Truss Mach. B-Tap Scr. #10 x .5" Lg.
17	712-0287		Hex Nut 1/4-20 Thd.*	35	710-0429		Hex B-Tap Scr. #10 x 3/8" Lg.
18	638-0004	N	Drive Shaft Ass'y. $\varnothing \tau$	36	732-0634		Cantilever Spring
19	736-0160		FI-Wash. .531" I.D. x .93" O.D.	37	731-1136		Chain Tensioner


*For faster service obtain standard nuts, bolts and washers locally.
If these items cannot be obtained locally, order by part number and size as shown on parts list.

Models 448 thru 458



Models 280 and 281

**Optional Grass Catcher Available
Model 190-110-000**



Models 280 and 281

PARTS LIST FOR MODELS 280 AND 281 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle	55	746-0550		Control Cable—39" Lg. (B&S)
2	710-0602		Oval C-Sunk Mach. Scr.		746-0737		Control Cable—51" Lg. (Tec.)
3	736-0501		Spr. Wash. .66" I.D.	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16
4	712-0324		Hex L-Nut 1/4-20 Thd.*				x 1.0" Lg.
5	720-0279		Handle Knob 1/4-20 Thd.	58	738-0144		Rear Axle Bolt
6	646-0875		Throttle Body	60	734-1174A		Wheel Ass'y. Comp.
7	746-0876		Throttle Lever	62	732-0417A		Spring Lever
8	749-0538C		Upper Handle	63	720-0190		Spring Lever Knob
10	710-1205		Rope Guide	65	14760A		Link 4.58" Lg.
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	66	14765		Pivot Bar R.H.
14	726-0240		Cable Tie		14766		Pivot Bar L.H. (Not Shown)
15	749-0928		Lower Handle	67	710-0896		Hex L-Wash. Hd. AB-Tap
16	714-0104		Hairpin Cotter				1/4-.62" Lg.
17	17098		Hinge Clip	69	14764C		Index Plate
18	731-1029		Rear Flap	71	16106		Rear Height Adj. Ass'y.—R.H.
19	17189B		Handle Bracket Ass'y.—L.H.		16107		Rear Height Adj. Ass'y.—L.H.
20	17188B		Handle Bracket Ass'y.—R.H.				(Not Shown)
22	712-0798		Hex Nut 3/8-16 Thd.*	72	811-00185		Throttle Box Comp. (Incl. Ref. 2,
23	712-0241		Hex Nut 3/8-24 Thd.				3, 4, 6, 7)
29	17046		22" Deck Ass'y.	74	710-0726		Hex Wash. AB-Tap Scr. 5/16
30	753-0484		Blade Adapter Kit				x .75" Lg.
31	736-0452		Bell-Wash. .39" I.D.	75	16309A		Cable Brkt.
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	76	746-0629		Clutch Cable
33	742-0622		22" Blade	79	747-0854		S.P. Bail Ass'y.
	742-0722		22" Mulching Blade (Optional)††	81	713-0449	N	9 Tooth Sprocket Ass'y.
38	751B213146		Cable Clamp (B&S)	82	715-0247		Spring Pin Spir. 3/16" Dia. x
39	—		Engine				1" Lg.
41	710-1237		Hex Wash. Hd. Scr. #10-32 x	83	713-0311		#48 Chain 1/2" Pitch 50 Links
			.62" Lg. (B&S)				(Endless)
42	720-0276		Hand Knob	84	736-0356		Bell-Wash. .39" I.D. x 1.38"
44	735-0639		Spark Plug Boot (Optional)	87	736-0169		L-Wash. 3/8" I.D.*
46	738-0102		Front Axle Bolt	91	731-1034		Chute Deflector Ass'y.
47	736-0105		Bell-Wash. .400" I.D. x .88"	92	732-0593		Torsion Spring
48	738-0507B		Shld. Bolt .50" Dia. x .357"	93	17032		Adapter Plate
49	14832		Spring Lever Ass'y. w/Knob	94	710-0599		Hex Self-Tap Scr. 1/4-20 x .5"
50	15262B		Pivot Bar				Lg.
51	15261A		Height Adj. Plate	95	736-0270		Bell-Wash. 1/4" I.D.
53	14578		Height Adj. Ass'y. Comp.—R.H.	96	747-0710		Hinge Pin
	14579		Height Adj. Ass'y. Comp.—L.H.	97	710-1055		Hex Bolt 3/8-24 x 1" Lg.
			(Not Shown)	98	731-1386A		Mulching Plug (Optional)††
54	746-0842		Throttle Control Wire—51" Lg.				
			(B&S)				
	746-0847		Throttle Control Wire—42" Lg.				
			(Tec.)				

††Part of Optional Mulching Kit—Model 190-100-000.